

# Notice of Allowability

Application No.

10/650,265

Examiner

Scott Geyer

Applicant(s)

PACE, BENEDICT G.

Art Unit

2812

## -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to an amendment filed June 2, 2006.
2. ☒ The allowed claim(s) is/are 54-71.
3. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☐ All   b) ☐ Some\*   c) ☐ None   of the:
    1. ☐ Certified copies of the priority documents have been received.
    2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
    3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
  5. ☐ CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
    - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
      - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
    - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

### Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

## **DETAILED ACTION**

### ***Claim Objections***

The objections of claims 58 and 69 are withdrawn.

### ***Claim Rejections - 35 USC § 112***

The rejections of claims 59 and 70 are withdrawn.

### ***Allowable Subject Matter***

Claims 54-71 are allowed.

The following is an examiner's statement of reasons for allowance:

Independent claim 54 was noted as being allowable in the previous office action.

Claims 55-61 are dependent upon claim 54.

As to claim 62: the prior art of record and to the examiner's knowledge does not teach or render obvious, at least to the skilled artisan, the instant invention regarding the method of forming metal protuberances on an *insulating substrate* having metallic contact pads, particularly characterized by depositing a metal on each of the metallic contact pads *without overlapping the pads* and then *melting the applied metal* whereupon the metal forms convex protuberances on the pads. The metal applied is either aluminum, copper, silver or gold, or alloys of these metals. Claims 63-65 and 71 are dependent upon claim 62.

As to claim 66: the prior art of record and to the examiner's knowledge does not teach or render obvious, at least to the skilled artisan, the instant invention regarding the method of making an electrical contact on an *insulating base* having conductive patterns having contact areas, particularly characterized by depositing a metal over the contact areas of the insulating base *without overlapping the contact areas* and then *melting the applied metal* whereupon the metal forms protuberances on the contact areas. The metal applied is either aluminum, copper, silver or gold, or alloys of these metals. Claims 67-70 are dependent upon claim 66.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

The following references are cited as being particularly related to the applicant's invention: Aulicino et al. (6,030,889), Dunlap (3,654,694), Farooq et al. (6,271,111) and Hashimoto et al. (6,225,569).

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Scott Geyer whose telephone number is (571) 272-1958. The examiner can normally be reached on weekdays, between 10:00am - 6:30pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Lebentritt can be reached on (571) 272-1873. The fax

Art Unit: 2812

phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

SBG  
August 24, 2006

SCOTT B. GEYER  
PRIMARY EXAMINER

*SBG* 8/24/06